

LED DC12V/24V/48V
Magnetic Mount
Blink / Rotating
(Optional rotation type or blink type)
No Buzzing / with Internal Buzzer
(Optional with sound or without sound)



LED DC10V-110V
Bolt Mount
Flashing
Five flash patterns
No Buzzing

LT#:A.J.01.2015Y



LED DC10V-110V
Magnetic Mount / Bolt Mount
Lens Material:AS
Housing Material:ABS base
Flashing / No Rotating
No Buzzing

LT#:A.J.01.2020Y



LED DC12V-80V
Bolt Mount
Flashing / No Rotating
No Buzzing

LT#:A.J.01.2080Y

LED DC12V-80V
Bolt Mount
Flashing / No Rotating
with Internal Buzzer

LT#:A.J.01.2081Y



LED DC12V-80V
Bolt Mount
Flashing / No Rotating
Sound Toggle

LT#:A.J.01.2082Y



LED DC12V
Bolt Mount
Flashing/Rotating
with Internal Buzzer

LT#:A.J.01.2083Y

LED DC24V
Bolt Mount
Flashing/Rotating
with Internal Buzzer

LT#:A.J.01.2084Y



DC9V-100V
Magnetic Mount / Bolt Mount
Flashing / with Internal Buz
Available In 2 Colors

Amber Red

LT#:A.J.01.2106Y

LT#:A.J.01.2108R

DC9V-60V
Magnetic Mount/Bolt Mount
Flashing/with Internal Buzzer

LT#:A.J.01.2109R

LT#:A.J.01.2110R



LED DC12V
Bolt Mount
Flashing / Rotating
No Buzzing/with Internal Buzzer

LT#:A.J.01.4029Y

LT#:A.J.01.4029Y0

LED DC24V
Bolt Mount
Flashing / Rotating
No Buzzing/with Internal Buzzer

LT#:A.J.01.4030Y

LT#:A.J.01.4030Y0



LED BLUE/RED ZONE
LED Power:18W



LT#:A.J.09.0201A



LT#:A.J.09.0202A



LED Power:30W



LT#:A.J.09.0211A



LT#:A.J.09.0212A



LED BLUE/RED ZONE
LED Power:10W



LT#:A.J.09.0215B



LT#:A.J.09.0216B



LT#:A.J.09.0219B



FEATURES:
3W Osram LED x 6 pcs | x 2 pcs | x 1 pcs;
PC(Polycarbonate) Lens;
Die Cast Aluminum Housing;
Stainless Steel Mounting Bracket;
CE Rated,RoHS Rated, Ip68 Rated;
Weatherproof, Quakeproof&Anti-explosive.



Blue Zone Light



Red Zone Light

LED BLUE/RED STOP

DC 12V-80V



LT#:A.J.09.0101A



LT#:A.J.09.0104A



LT#:A.J.09.0111B



Blue Spot



Red Spot

FEATURES:

3W Gree LED x 2 pcs;
PC(Polycarbonate) Lens;
Die Cast Aluminum Housing;
Stainless Steel Swivel Mounting Bracket;
CE Rated,RoHS Rated, Ip68 Rated.

LED BLUE/RED/GREEN ARROW

DC 10V-80V



LT#:A.J.09.0307A



LT#:A.J.09.0308A



Green Arrow Spot

Red Arrow Spot

Blue Arrow Spot

FEATURES:

3W Osram LED x 6 pcs;
PC(Polycarbonate) Lens;
Die Cast Aluminum Housing;
Stainless Steel Mounting Bracket;
CE Rated,RoHS Rated, Ip68 Rated;
Weatherproof, Quakeproof&Anti-explosive.

LED BLUE/RED U-SHAPED

DC 10V-80V



LT#:A.J.09.0415A



LT#:A.J.09.0416A



LT#:A.J.09.1001A



Red U-Shaped Light



Blue U-Shaped Light



Red Arc Light



Blue Arc Light

FEATURES:

3W Gree LED x 8 pcs;
PC(Polycarbonate) Lens;
Die Cast Aluminum Housing;
Stainless Steel Swivel Mounting Bracket.

LED RED LINE

DC 10V-80V



Red Line Light

LT#:A.J.09.1001A



FORKLIFT PROJECTION LAMP

DC 12V-80V



LT#:A.J.09.0601A



FORKLIFT SPEED LIMIT ALARM



LT#:A.K.01.0101


Name	Forklift Speed Limit Alarm(Wired/WC)
Model Number	SF-102/12-48V

LT#:A.K.01.0102

Name	Forklift Speed Limit Alarm(Wireless/WC)
Model Number	SF-102/12-48V



Main Engine



Audible and Visual Alarm

Wireless Speed Sensor

FORKLIFT SPEED LIMIT ALARM



LT#:A.K.01.0116

Name	Forklift Speed Limit Alarm(Wired/SP)
Model Number	SP02A

LT#:A.K.01.0117

Name	Forklift Speed Limit Alarm(Wireless/SP)
Model Number	SP02A



Main Engine



Strobe Lamps

Remote Control

Horn

Main Control Line

WIRELESS RANGING COLLISION AVOIDANCE SYSTEM
DC 12V-48V

LT#:A.K.02.0101

Accessories




Optional Accessories



AI IMAGE COLLISION AVOIDANCE SYSTEM



LT#:A.K.02.0102

MILLIMETER WAVE RADAR COLLISION WARNING SYSTEM
DC 12V-24V

LT#:A.K.02.0103



DRIVING REVERSE IMAGING SYSTEM



LT#:A.K.03.0108

Name	Driving Reverse Imaging System
Model Number	Driving/Reversing(12-24V)

LT#:A.K.03.0110

Name	Driving Reverse Imaging System(V2.0Version)
Model Number	SF-401

Three Types of Probes Available



FORKLIFT BLIND SPOT DISPLAY



LT#:A.K.03.0113


Name	Forklift Blind Spot Display(Line length 8 meters)
Model Number	7-inch Display(9~36V)

LT#:A.K.03.0114

Name	Forklift Blind Spot Display(Line length 10 meters)
Model Number	7-inch Display(9~36V)

LT#:A.K.03.0115

Name	Forklift Blind Spot Display
Model Number	7-inch Display(2 Split screen)



Product Parameters



OVERWEIGHT ALARM(ALARM ONLY)

DC 12V-24V



LT#:A.K.05.0102

Accessories




ZAPY CHAIN TYPE A1 MINI FORKLIFT SCALE WITHOUT PRINTING

DC 12V-24V



LT#:A.K.05.1001A1



99% Accuracy 1% Maximum error 10kg Display scale 50-5000kg Range

ZAPY FORK LIFT TRUCK SCALE

DC 12V-24V



LT#:A.K.05.1011



Model Number	Maximum range(kg)	Minimum weighing(kg)	Display scale(kg)	Comprehensive error(%)
H2-25	2500	30	1	0.2
H2-35	3500	30	1	0.2
H2-45	4500	30	1	0.2